



R0.010 D D TYP THREAD 7/16-20 UNF-2A- \emptyset 0.375 Ø0.472 **SECTION B-B** С С · Ø0.875 -0.750 0.100 ---0.031 X 45°-CMF, 2 PL В R0.010 MIN — 0.500 —-- $-0.095^{+0.000}_{-0.003}$ **D5541-3 GROUND HANDLING NUT** NOTES:
1) MATERIAL: AISI 303 STAINLESS STEEL ROUND BAR
PER ASTM A582
(REF DART SPEC M303R)
OR: AISI 304/316 STAINLESS STEEL ROUND BAR
PER ASTM A276
(DEE DART SPEC M304R) DESIGN AJŞ **DART AEROSPACE LTD** Α DRAWN ML HAWKESBURY, ONTARIO, CANADA APPROVED AJS DRAWING NO. CHECKED REV. A 2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX D5541 JFS MFG. APPR. SHEET 3 OF 4 TITLE **APPROVED** WM SCALE **GROUND HANDLING PIN** DE APPR. NTS 6) IDENTIFICATION: N/A COPYRIGHT © 2017 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS

NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT

WRITTEN PERMISSION FROM DART AEROSPACE LTD. 7) WEIGHT: 0.06 lbs 17.06.16 8 5 3

